



# **TOPAZ R2 Race+** **TOPAZ R2 Race X** **Rigging Instructions**

[www.toppersailboats.com](http://www.toppersailboats.com)











2.7

Pass the halyard through the pulley on the starboard side of the deck and then through the eyelet on the back of the spinnaker bag.



2.8

Pass the halyard up the spinnaker bag until it comes out of the front opening.

Top tip: tying one of red balls to the end of the halyard can make it easier to feel through the fabric and push to the bow opening.

2.9

Find the two stitched circles on the spinnaker and arrange them so the metal ring is facing upwards. Pass the end of the halyard through the metal eyelet first, going from underneath the spinnaker upwards. Then tie the end of the halyard onto the metal ring using a bowline.

## TOPAZ RACE RIGGING INSTRUCTIONS

### 2.10

Using the spinnaker sheets, pass a loop through the eyelet on the clew. Then pass the ends of the sheets through the loop and pull tight to secure it .



---

### 2.11

Pass the ends of the spinnaker sheets through the pulleys and then tie them together in a fishermans knot.







Topper International Ltd  
Kingsnorth Technology Park  
Wotton Road  
Ashford  
Kent  
TN23 6LN

Tel. 01233 629186  
Fax 01233 645897  
email [info@toppersailboats.com](mailto:info@toppersailboats.com)

**[www.toppersailboats.com](http://www.toppersailboats.com)**